

Table MIDCO. The Species/ w	AST and NORTH C vave exposure/ subst	COAST project area w trate table for Habitat	vhich includes BIO_AR t Classification (HAB_O	EAS CC, JS and NC. DBS)., for the Mid-coa	ast BC study area, fro	om Johnstone Strait/C	Central Coast Ma	pping Region	s 5, 6 and 7.	
SUBSTRATE STABILITY	IMMOBILE SUBSTRATES				MOBILE OR PARTIALLY MOBILE SUBSTRATES				CURRENT- DOMI- NATED	TIDAL IAGOON
MAJOR SUBSTRATE	BEDROCK	BEDROCK/BOULDER	BEDROCK/GRAVEL	BEDROCK/GRAVEL	SAND & GRAVEL	SAND & GRAVEL	SAND/MUD	SEDIMENT	BEDROCK OR SEDIMENT	BEDROCK OR SEDIMENT
COASTAL CLASSES	1-20	1-23, 32, 33	1-23, 33	1-23, 33	24 – 30, 32 no SAL band	24 – 30, 32 no SAL band	24 - 30, 31 has SAL band	24-30	34	35
EXPOSURE	Е	SE	SP	VP, P	SP	VP, P	VP, P, SP	SE, E	VP, P, SP	VP, P, SP
COMMUNITY CODE (HAB OBS)	2	3	4	5	6	7	8	9	10	11
upper	Verrucaria Balanus glandula	Verrucaria Enteromorpha Balanus giandula	Verrucaria Enteromorpha Balanus glandula	Verrucaria Enteromorpha Balanus glandula	Verrucaria Enteromorpha Balanus glandula	Verrucaria Enteromorpha Balanus glandula	grasses & rushes Salicornia virginica Balanus glandula			Balanus glandula
middle	Pollicipes polymerus Mytilus californianus Semibalanus carriosus	Fucus disticnus Mytilus californianus Semibalanus carriosus	Fucus disticitus Mytilus trossulus* Semibalanus carriosus Ulva/ Ulvaria spp.	Fucus distichus Mytilus trossulus * Ulva/ Ulvaria spp.	Fucus disticitus Semibalanus carriosus Ulva/ Ulvaria spp.	Fucus distichus Ulva/ Ulvaria spp.	Fucus disticius Mytilus trossulus* Ulva/ Ulvaria	no visible macrobiota due to sediment mobility	tidal current dominated; may be a Protected wave exposure but shows an assemblage of	Fucus distictus
mid/low	Alaria 'nana' morph	Hedophyllum sessile Phyllospadix scouleri	<i>I</i>						indicator species from higher wave exposures. Assemblage	narrow intertidal and a reduced biota in brackish water, may have
lower	Lessoniopsis littoralis Lithothamnion	Alaria 'marginata' morph Lithothamnion	Laminaria groenlandica Laminaria saccharina Alaria 'marginata' morph Lithothannion	Laminaria saccharina	Laminaria groenlandica Laminaria saccharina Alaria 'marginata' morph Lithothamnion	Laminaria saccharina			observed is 'anomalous' for the wave energy of the site.	associated current dominated at outflow
subtidal	Nereocystis luetkeana	Nereocystis luetkeana Macrocystis integrifolla Agarum spp. Strongylocentrotus franciscanus	Nereocystis luetkeana Macrocystis integrifolia Agarum spp. Strongylocentrotus franciscanus Zostera marina	Macrocystis integrifolia Agarum spp. Zostera marina	Nereocystis luetkeana Macrocystis integrifolia Agarum spp. Strongylocentrotus franciscanus Zostera marina	Macrocystis integrifolia Agarum spp. Zostera marina	Zostera marina			