

SUBSTRATE STABILITY	IMMOBILE SUBSTRATES				MOBILE OR PARTIALLY MOBILE SUBSTRATES				CURRENT- DOMI- NATED	TIDAL IAGOON
MAJOR	BEDROCK	BEDROCK/BOULDER	DEDBOOK OP A VEL	BEDROCK/GRAVEL	CAND & OD AUDI	SAND & CDAUEL	SAND/MUD	SEDIMENT	BEDROCK OR SEDIMENT	BEDROCK OR
SUBSTRATE COASTAL	BEDROCK	BEDROCK/BOULDER	BEDROCK/GRAVEL	BEDROCK/GRAVEL	SAND & GRAVEL 24 - 30, 32	SAND & GRAVEL 24 - 30, 32	24 - 30, 31	SEDIMENT	SEDIMENT	SEDIMENT
CLASSES	1-20	1-23, 32, 33	1-23, 33	1-23, 33	no SAL band	no SAL band	has SAL band	24-30	34	35
EXPOSURE (EXP BIO)	Е	SE	SP	VP, P	SP	VP, P	VP, P, SP	SE, E	VP, P, SP	VP, P, SP
COMMUNITY CODE (HAB OBS)	2	3	4	5	6	7	8	9	10	11
upper	Verrucaria Balanus glandula	Verrucaria Enteromorpha Balanus glandula	Verrucaria Enteromorpha Balanus glandula	Verrucaria Enteromorpha Balanus glandula	Verrucaria Enteromorpha Balanus glandula	Verrucaria Enteromorpha Balanus glandula	grasses & rushes Salicornia virginica Balanus glandula			Balanus glandula
middle	Pollicipes polymerus	Fucus distichus	Fucus distichus	Fucus distichus	Fucus distichus	Fucus distichus	Fucus distichus	no visible macrobiota	tidal current dominated; may	Fucus distichus
maare	Mytilus californianus Semibalanus carriosus	Mytilus californianus Semibalanus carriosus	Mytilus trossulus* Semibalanus carriosus Ulva/ Ulvaria spp.	Mytilus trossulus * Ulva/ Ulvaria spp.	Semibalanus carriosus Ulva/ Ulvaria spp.	Ulva/ Ulvaria spp.	Mytilus trossulus** Ulva/ Ulvaria	due to be a Prot sediment wave exp mobility but show	be a Protected wave exposure but shows an assemblage of	ponded water in lagoon creates
mid/low			Oww Owwrut spp.	civa civaria spp.	Owa Owaria spp.	Civa Civaria spp.	ona onana	1	indicator species from higher	narrow intertidal
	Alaria 'nana' morph	Hedophyllum sessile Phyllospadix scouleri							and a reduced biota in brackish water, may have	
lower	Lessoniopsis littoralis	Alaria 'marginata' morph	Laminaria groenlandica <b>Laminaria saccharina</b> Alaria 'marginata' morph	Laminaria saccharina	Laminaria groenlandica Laminaria saccharina Alaria 'marginata' morph	Laminaria saccharina			observed is 'anomalous' for the wave energy of the site.	associated current dominated at outflow
	Lithothamnion	Lithothannion	Lithothannion		Lithothamnion					
subtidal	Nereocystis luetkeana	Nereocystis luetkeana Macrocystis integrifolla Agarum spp. Strongylocentrotus franciscanus	Nereocystis luetkeana Macrocystis integrifolia Agarum spp. Strongylocentrotus franciscanus Zostera marina	Macrocystis integrifolia Agarum spp. <b>Zostera marina</b>	Nereocystis luetkeana Macrocystis integrifolia Agarum spp. Strongylocentrotus franciscanus Zostera marina	Macrocystis integrifolia Agarum spp. <b>Zostera marina</b>	Zostera marina			