

Table MIDCO The Species/ w	AST and NORTH C vave exposure/ subst	COAST project area v trate table for Habita	which includes BIO_AF t Classification (HAB_0	REAS CC, JS and NC OBS)., for the Mid-co	ast BC study area, fro	om Johnstone Strait/G	Central Coast Ma	pping Region	s 5, 6 and 7.	
SUBSTRATE STABILITY	IMMOBILE SUBSTRATES				MOBILE OR PARTIALLY MOBILE SUBSTRATES				CURRENT- DOMI- NATED	TIDAL IAGOON
MAJOR SUBSTRATE	BEDROCK	BEDROCK/BOULDER	BEDROCK/GRAVEL	BEDROCK/GRAVEL	SAND & GRAVEL	SAND & GRAVEL	SAND/MUD	SEDIMENT	BEDROCK OR SEDIMENT	BEDROCK OR SEDIMENT
COASTAL CLASSES	1-20	1-23, 32, 33	1-23, 33	1-23, 33	24 – 30, 32 no SAL band	24 – 30, 32 no SAL band	24 - 30, 31 has SAL band	24-30	34	35
EXPOSURE (EXP BIO)	Е	SE	SP	VP, P	SP	VP, P	VP, P, SP	SE, E	VP, P, SP	VP, P, SP
COMMUNITY CODE (HAB OBS)	2	3	4	5	6	7	8	9	10	11
upper	Verrucaria Balanus glandula	Verrucaria Enteromorpha Balanus glandula Fucus distichus	Verrucaria Enteromorpha Balanus glandula Fucus distichus	Verrucaria Enteromorpha Balanus glandula Eucus distichus	Verrucaria Enteromorpha Balanus glandula Fucus distichus	Verrucaria Enteromorpha Balanus glandula Fucus distichus	grasses & rushes Salicornia virginica Balconus glandula Fucus distichus	no visible macrobiota due to sediment mobility	tidal current dominated; may be a Protected wave exposure but shows an assemblage of indicator species from higher wave exposures. Assemblage	Balanus glandula Fucus di stichus
middle	Pollicipes polymerus Mytilus californianus Semibalanus carriosus	Mytilus californianus Semibalanus carriosus	Mytilus trossulus* Semibalanus carriosus Utva' Utvaria spp.	Mytilus trossulus *	Semibalanus carriosus Ulva/ Ulvaria spp.	Ulva/ Ulvaria spp.	Mytilus trossulus" Ulva/ Ulvaria			ponded water in lagoon creates narrow intertidal and a reduced biota in brackish water, may have
mid/low	Alaria 'nana' morph	Hedophyllum sessile Phyllospadix scouleri				<i>T</i>				
lower	Lessoniopsis littoralis Lithothamnion	Alaria 'marginata' morph Lithothamnion	Laminaria groenlandica Laminaria saccharina Alaria 'marginata' morph Lithothannion	Laminaria saccharina	Laminaria groenlandica Laminaria saccharina Alaria 'marginata' morph Lithothamnion	Laminaria saccharina			observed is 'anomalous' for the wave energy of the site.	associated current dominated at outflow
subtidal	Nereocystis luetkeana	Nereocystis Inetkeana Macrocystis integrifolia Agarum spp. Strongylocentrotus franciscanus	Nereocystis luetkeana Macrocystis integrifolia Agarum spp. Strongylocentrotus franciscanus Zostera marina	Macrocystis integrifolia Agarum spp. Zostera marina	Nereocystis luetkeana Macrocystis integrifolia Agarum spp. Strongylocentrotus franciscanus Zostera marina	Macrocystis integrifolia Agarum spp. Zostera marina	Zostera marina			
	n			- Junto in cond life		- Contract of Contract Soldier				